



PRO-X CONTROL CABLES™



"There's a fine line between winning and losing"




Why Should You Use Glendinning **PRO-X** Control Cables™ In Your Race Car?

Let's face it — you've got a lot riding on the line. The operation of your control cables will either give you the confidence to win or cause you to regret your purchase. With so much riding on the line, wouldn't you rather go with professional grade control cables?

• Features & Construction

Not all control cables are created equal! With the competing demands of higher performance and lower costs, many companies have sacrificed the long term advantages of high performance cables for the short term benefit of lower costs. That's a sacrifice we're not willing to make.

HIGH PERFORMANCE PRO-X Control Cables™ feature:



Core — Highly efficient "armored" core technology is the best in the industry. Stainless steel flat wire swaged over stainless steel stranded cable and burnished to a smooth, close tolerance finish, provides high flexibility and incredible strength.


Inner Liner — Polymer liners minimize friction for maximum efficiency. The inside diameter is precisely controlled to minimize lost motion and premature wear, problems that seem to plague most "splined" or "grooved" liners.

Conduit — A "full complement" of reinforcing wires, placed in a long lay pattern protect the liner and inner core. Close tolerances between the cable core and conduit result in minimal deflections during cable operation, assuring precise controlling action to the operator.

Outer Jacket — Heavy duty, high density non-hygroscopic polymer jacket is extruded onto the conduit for maximum cable strength and abrasion resistance.

End Fittings — 300 series stainless steel is used throughout for maximum corrosion resistance.

Seals & Boots — Durable polymer seals are used to prevent moisture and contaminants from entering the cable.



Stroke	Clamp Type Fitting	Bulkhead Type Fitting
	A DIM	B DIM
2"	5.1875"	5.875"
3"	6.6875"	7.375"
4"	8.1875"	8.875"


Cable drawing (above) and dimensions (left) are for "30 series" (PN A-7100S) control cables. For 40 series and 60 series cables contact cable supplier for specific dimensions.



In addition to the **High Performance PRO-X™** cables described above, other configurations are available which will meet any customer requirement, including solid wire core and other cable terminations. Contact Glendinning for details.

• Wide Variety of Applications

Whatever your application, **PRO-X™** brand of control cables has the right cable for you:



PRO-X33C Control Cables — universal SAE type (3" stroke)

P/N - A7100S-XX



PRO-X32B Control Cables — bulkhead fittings both ends (2" stroke)

P/N - A7400S-XX



PRO-X43C Control Cables — clamp fittings both ends (3" stroke)

P/N - A7200S-XX

PRO-X64C Control Cables — clamp fittings both ends (4" stroke)

P/N - A7300S-XX



PRO-X43BC Control Cables — clamp fittings one end / bulkhead fitting other end (3" stroke)

P/N - A7210S-XX

PRO-X64BC Control Cables — clamp fittings one end / bulkhead fitting other end (4" stroke)

P/N - A7310S-XX

• Comparison Grade Finder


Cable Type	Connection / Description	Stroke	Rod End Diameter	PRO-X™	Morse	Teleflex	Wescon
33C - Premium	Universal ends	2"	3/16"	A-7100S-xx	301947-003	CC633	3403GG4-xxx
32B - Premium	Bulkhead / Bulkhead	2"	3/16"	A-7400S-xx	036559-002	036559-002	3402BB4-xxx
43C - Premium	Clamp ends	3"	1/4"	A-7200S-xx	065885-003	CC693	4603GG4-xxx
43BC - Premium	Bulkhead / Clamp ends	3"	1/4"	A-7210S-xx	046348-003	CC692	4603BG4-xxx
64C - Premium	Clamp ends	4"	5/16"	A-7300S-xx	304262-004	CC695	6804GG4-xxx
64BC - Premium	Bulkhead / Clamp ends	4"	5/16"	A-7310S-xx	304263-004	CC694	6804BG4-xxx

xx = cable length in feet

• Other Cable Products — Contact Glendinning for ordering details



Fire Pull / Shutoff Cables



Parachute Pull Cables




Shifter Replacement Cables

• Other Options Available

- Various conduit colors
- Custom cable identification / markings
- Overall custom designs


End Fittings Available




Cable Hook Clips




Cable Clamp




Cable Clamp Shim




Quick Connect Ball Joints




Terminal Eyes




Pivot Pins



Clevis




Pivot / Cable Stops




Cable Mounting Bracket

WE'RE SO MUCH MORE THAN JUST CONTROL CABLES!



Smart Actuator II™ — move mechanical levers with the precision of electronics.



Parachute Pull Lever Assembly — deploys parachute by the movement of the control lever in the cockpit.



Wire Rope Assembly — wire rope assemblies and end fittings for any application.

AND FOR YOUR TRAILER, TRY THESE GREAT PRODUCTS . . .



Cablemaster™

Stop lifting and storing heavy power cable! Extend, retract and store your power cable with push-button ease!



Hosemaster™

Tired of fighting with an uncooperative water hose when it's time to retract and store? You'll love watching the Hosemaster™ work!

Sold by:



740 Century Circle • Conway, SC 29526
 Telephone: (843) 399-6146 Facsimile: (843) 399-5005
www.glendinningprods.com
sales@glendinningprods.com

SML-PROX-RAC